ADD: D factory, #10, Baihe Road, Nanhai Danzao Eco-Industrial Park Zip: 528216 W: http://www.gledse.com/ T: 86-757-86780855 F: 86-757-86765036 M: 18925911326 Email: sales@gledse.com

PRODUCT SPECIFIVATION





Led Waterproof Panel Light

Model No: SL-PLS6060-40W Model No: SL-PLS15120-36W Model No: SL-PLS30120-40W Model No: SL-PLS60120-72W

Customer Approval

Tested by	Checked by	Approved by			

SHINING Approval

Tested by	Checked by	Approved by		

ADD: D factory, #10, Baihe Road, Nanhai Danzao Eco-Industrial Park Zip: 528216 W: http://www.gledse.com/ T: 86-757-86780855 F: 86-757-86765036 M: 18925911326 Email: sales@gledse.com

FACTORY PROFILE



FOSHAN SHINING LIGHTING TECHNOLOGY CO., LTD

Our factory locates in Foshan NANHAI DANZAO Eco-Industrial Park, which covered an area of 5000 square kilometers. Our factory specialized in LED office lighting for more than 10 years of

experience. We have two registered trademarks. One is Gledse for oversea market and

other is



for domestic market.

The advanced production equipment, experienced technical personnel and the perfect quality management system bring us to dedicate to developing and producing the products to our customers. We have R&D team working on electric and appearance design. We also have our own metal workshop to deal with the OEM and ODM cooperation. We also accept the customized orders for different projects.

Main products: LED Ultra-thin panel light, LED back lit panel, LED smart panel light, LED linear light, LED tube, LED downlight, LED tracking light and LED light fittings.

The full ranges of our light fixtures are manufactured to our high specification with CCC, CE and RoHs compliant certification. Our products are exported to different countries and districts, such as Europe, US, Australia, Russia, Middle East etc.

Our intimate sales and after-sales team are always at your service and will take good care of our valued customers.


Our factory is near to Guangzhou area. It only takes about 1hr to our factory. Welcome to visit our factory at any time.

ADD: D factory, #10, Baihe Road, Nanhai Danzao Eco-Industrial Park Zip: 528216 W: http://www.gledse.com/ T: 86-757-86780855 F: 86-757-86765036 M: 18925911326 Email: sales@gledse.com

PRODUCT SPECIFICATION



Quick Details				
Model No.	SL-PLS6060-40W	Input Vol.	AC 220-240V/ AC100-277V	
Product size	600x600x9 mm	Installation	Suspending/Recessed without spring	
Power	40W	PF	>0.9	
Lumens	4000lm	ССТ	2700-6500K option	
IP Rating	IP65	Warranty (Years)	3/5 years	
Material	6063AL+PC	Customized	/	



ADD: D factory, #10, Baihe Road, Nanhai Danzao Eco-Industrial Park Zip: 528216 W: http://www.gledse.com/ T: 86-757-86780855 F: 86-757-86765036 M: 18925911326 Email: sales@gledse.com





		Quick Details			
Model No.	SL-PLS15120-36W	Input Vol.	AC 220-240V/ AC100-277V		
Product size	150*1200*9 mm	Installation	Suspending/Recessed without spring		
Power	36W	PF	>0.9		
Lumens	3600lm	ССТ	2700-6500K option		
IP Rating	IP65	Warranty (Years)	5 years		
Material	6063AL+PC	Customized	/		
Model No.	SL-PLS30120-40W	Input Vol.	AC 220-240V/ AC100-277V		
Product size	300*1200*9 mm	Installation	Suspending/Recessed without spring		
Power	40W	PF	>0.9		
Lumens	4000lm	ССТ	2700-6500K option		
IP Rating	IP65	Warranty (Years)	5 years		
Material	6063AL+PC	Customized	/		
Model No.	SL-PLS60120-72W	Input Vol.	AC 220-240V/ AC100-277V		
Product size	600*1200*9 mm	Installation	Suspending/Recessed without spring		
Power	72W	PF	>0.9		
Lumens	7200lm	ССТ	2700-6500K option		
IP Rating	IP65	Warranty (Years)	5 years		
Material	6063AL+PC	Customized	/		


ADD: D factory, #10, Baihe Road, Nanhai Danzao Eco-Industrial Park Zip: 528216 W: http://www.gledse.com/ T: 86-757-86780855 F: 86-757-86765036 M: 18925911326 Email: sales@gledse.com



Features:

- (1) Side-lit light technology: Side plate and Diffuser plate of to maintain a 9mm distance which is to avoid the phenomenon of the shadow.
- (2) Aluminum housing: Aluminum frames made from the strong anodizing aluminum profiles, high corrosion resistance, and high heat dissipation.
- (3) Energy and cost saving: It is saving 90% power compared with ordinary pendant light.
- (4) Eco-friendly: no ultraviolet and infrared radiation, no electromagnetic.
- (5) High Electricity Utilization: high photoelectric conversion rate.
- (6) High Security Performance: with constant gentle current, fast start, low voltage, low power consumption.
- (7) Eye Protect: no strobe flash, high color rendering, no felling tried even after long-term using eye.
- (8) Professional Customization: freely choose the specification what you like.
- (9) Ultra-bright & energy efficient: 100-120lm/w high output, much brighter than fluorescent, save more money on your energy bill
- (10) Long lifespan: 50000hrs, 5 times longer than fluorescent, reduce your replacement frequency and maintenance cost.5 years Warranty.
- (10) LED Panel Performance Series is designed to lay in drop ceiling in offices, school and healthcare applications. The design of the panels produces an even, consistent shadow less light. The LEDs enable long life, high lumen maintenance, high CRI and they are low maintenance and constructed without hazardous materials.

ADD: D factory, #10, Baihe Road, Nanhai Danzao Eco-Industrial Park Zip: 528216 W: http://www.gledse.com/ T: 86-757-86780855 F: 86-757-86765036 M: 18925911326 Email: sales@gledse.com



Packaging information:

Model	Inner Carton Size (L*W*H cm)	Outer carton Size (L*W*H cm)	N.W. (kg)	G.W. (kg)	QTY/CTN (pcs)	20' GP (pcs)
SL-PLS6060-40W	-	64*17*66 cm	3.9kg	21kg	5pcs	1800pcs
SL-PLS15120-36W	-	125*18*34.5cm	1.8kg	19.5kg	10pcs	3300pcs
SL-PLS30120-40W	-	125*18*34.5cm	4.3kg	23.5kg	5pcs	1480pcs
SL-PLS60120-72W	-	125*8*66cm	8.8kg	19kg	2pcs	780pcs





Remark: The above packing information is only for reference.

The platform or the plywood frame will be additional charged as per the package.

For more detail information, please contact our Sales Representative. Thanks for your attention.